INSTRUMENTS AND CONTROL SYSTEMS

INDEX TO VOLUME 44, 1971

This index is a guide to titles, authors, and subjects or articles published during 1971. Indices to featured and advertised products appear in each monthly issue.

Note: numbers in boldface type refer to the month of issue, followed by the page number.

SUBJECT

Acoustic 4:30, 93, 9:15, 10:98, 11:25, 103
Analog 1:12, 77; 2:99; 3:129; 4:16, 5:41, 100; 7:105
Analytical 1:66, 81; 2:113; 5:25, 110; 7:91; 10:47, 50, 103; 11:21, 29
Calibration 3:11, 133; 4:101; 5:113; 8:81; 9:29
Communications 1:91; 5:14; 8:43; 11:42, 103
Components 1:13; 2:12, 113, 124; 3:12, 97, 119; 4:7, 15, 93, 115, 120, 124, 133; 5:21, 25, 75, 103, 113; 6:17, 25, 28, 91, 97; 7:24; 8:25, 45, 46; 9:27, 35, 40, 87, 95, 99; 10:31, 47, 48, 95; 11:41, 89; 12:38,140
Computer 1:4, 8, 87, 92, 96; 2:4, 17, 20, 124; 3:4, 18, 97, 101, 111, 115; 4:28, 32, 41, 122, 138; 5:16, 39, 69, 75, 81, 93, 97; 6:21, 26, 125, 129, 133; 7:4, 43; 8:4, 16, 35, 39, 91, 97, 102; 9:13, 113, 120; 10:4, 16, 29, 107; 11:4, 15, 27, 82; 12:13, 21, 34, 77, 80
Control 1:8, 77, 81, 96; 2:11, 12, 17, 20, 104, 107; 3:4, 16, 18, 97, 115; 4:7, 28, 30, 32, 41, 138; 5:7, 16, 21, 39, 69, 75, 81, 85, 93, 109; 6:7, 21, 26, 97, 133; 7:16, 24, 29, 33, 43, 95; 8:9, 18, 31, 35, 44, 83, 87, 95, 99, 113; 10:11, 15, 16, 25, 27, 29, 62, 95; 11:9, 15, 16, 25, 27, 41, 44, 75, 89, 95, 109; 12:12, 16, 21, 31, 34, 40, 69, 77
Data 1:4, 84; 2:4; 3:4, 124; 4:4, 5:4, 89; 6:125; 7:4, 69, 85, 91, 100; 8:87; 9:4, 105, 109; 11:4, 75, 103; 12:84
Digital 1:8; 2:4; 3:101; 5:7, 14, 85, 89; 7:48; 9:13, 10:107; 11:42, 75, 82; 12:13, 37, 80
Display 1:92; 5:7, 14; 6:14; 7:48, 69; 9:113
Electronic 1:12; 2:93, 99, 104; 3:11, 129, 133; 4:15, 16, 120, 124, 129; 5:21, 25, 41, 100, 110; 7:13, 24, 100; 8:45, 48; 9:27, 40, 83, 89; 10:47, 48, 77, 85; 11:13, 29, 42, 89; 12:15, 38, 84
Fluid 1:71; 2:11, 12, 120; 4:93, 101, 103; 7:16; 9:73, 80, 84; 9:11, 15, 105; 10:11, 52; 11:9, 44, 109
Fluidic 1:81; 8:112; 9:80, 84
Hardware 1:71; 2:11, 17; 3:101; 4:103, 129; 5:85, 100; 6:7, 17, 97, 112, 129; 7:48, 69, 85; 9:11, 48, 83; 10:11, 31, 107; 11:9, 16, 82, 109; 12:89, 80
Hybrid 2:124; 3:18
Information 3:124; 4:4, 6:4, 35, 9:4; 10:4, 37; 11:4, 15
Instrumentation 1:88, 84; 2:93, 99, 104, 107, 113, 115, 120; 3:11, 12, 97, 111, 129; 4:4, 7, 15, 16, 115, 117, 124, 129, 138; 5:4, ;4, 23, 41, 81, 97, 100, 103, 110; 6:7, 17, 19, 25, 97, 112, 117, 125, 133; 7:11, 13, 27, 29, 33, 41, 85, 100; 8:9, 13, 25, 29, 31, 45, 73, 87, 95, 97; 9:15, 21, 23, 33, 40, 105, 108; 10:15, 25, 27, 29, 31, 37, 43, 50, 77, 81, 85, 98; 11:13, 21, 25, 29, 37, 44; 12:15, 16, 19, 21, 31, 37, 64, 84
Mathematical 1:84; 4:101; 5:89; 7:41, 91; 9:120
Mechanical 3:111; 4:115, 117; 5:39, 97, 103, 108, 113; 6:21, 28, 117; 7:29, 105; 8:13, 39, 87; 9:21, 23, 46, 87, 95, 109; 10:43, 48, 98; 11:16, 27; 12:34, 39, 40, 64, 69
Optical 2:115, 3:124; 4:117; 6:28; 8:13; 10:43; 12:84
Pollution 3:12; 4:30; 5:23; 6:19; 7:27, 95; 8:43; 10:28, 27, 50, 52, 103; 11:21; 12:19
Process 1:86, 71, 77, 87, 96; 2:20; 3:16, 119; 4:7, 32, 41, 103; 5:69; 6:28, 117; 7:33, 43, 95; 9:31, 102; 9:44; 10:15, 95; 11:95; 12:77
Simulation 1:87; 2:93; 7:105; 8:91
Software 3:115; 4:28, 133; 5:16, 93; 7:4; 10:16
Standards 2:120; 3:133; 7:27; 8:29, 73; 9:21; 10:77, 81, 85; 11:13; 12:31
Thermal 2:107, 115; 3:119; 6:81, 87, 97, 129; 9:27, 44, 120; 10:81, 103, 11:41; 12:37

TITLE

AC Power Meter 3:129
Accurate Analog Limiting Circuits 1:13
Adaptive Control Looms Large in Future NC 8:21
Aerosol and Combustion Sensing with an Ionization Chamber 3:12
Aerosol Transducer, An 10:50
Allocating Capital 10:25
Alternate Approach to Hierarchical Control, An 4:32
Amplification of Intelligence, The 6:4
Analog and Digital Simulation: A Comparison 8:91
Analysis of Flow Sensor Calibration Data 4:101
Analytical Engine, The 2:4
Analyzing Signals for Information Part II Correlation and Enhancement 1:84
Antipollution: The Carrot and the Stick 8:43
Applications for Technology in Biology and Medicine 11:28
Applications of Thermoelectric Effects 9:27
Applying Cascade Control to Extruder Temperature 9:44
Approaches Toward Artificial Intelligence 7:4
Automatic Testing of Hybrid Circuits 4:124
Automatic Tuning for Digital Control 8:97
Avoiding Noise in Digital Transmission 11:42
Avoiding Reset Windup in Cascade Systems 8:9
be equally dispassionate about system success and failure 9:16
Capital Goods Spending 8:23
Carbon Monoxide Removal Under Automotive Thermal Reactor Conditions 10:103
Cascade Control with Mass Flow Computation 11:44
Choosing Reset Windup Protection 10:95
closing the loop around the whole shooting match 7:13
Closing the Loop for Digital Thermometry 12:37
Common Market: Customer and Competitor, The 10:31
Common Mode Voltage Rejection 2:99
Compensated Liquid-Filled Temperature Switch 3:119
Competitive Communication Systems 8:43
Computer Applications at the Allied Chemical Technical Center 8:35
Computers are Alive and Well in Process Control 4:41
Computer Control 1971 1:8
Computer Control of High Speed Systems 8:81
Computer in a Control System, The 3:97
Computer Simulation to Evaluate Control Strategies 1:87
Computer Sizing Considerations 2:17
Computerized Micromechanical Testing 3:111
Computerized Power Dispatch Control 6:26
Computing Thermal Conductivity from Experimental Data 9:120
Controls for a Once-Through Boiler 1:77
Control Systems Makers Can Save American Business 12:34
Control Valve Sound Pressure Level Prediction 4:93
Cost of Pollution Abatement, The 8:19
Costs of Pollution Control 10:27
Curiosity of the Observer, The 4:4
Current Feedback Drives for DC Torque Motors 8:108
Current Switching D/A Conversion 2:124
custom portion or the whole, the 12:15
customer gets a better product at a lower cost, the 9:7
DC Powered Frequency-to-Current Converter, A 8:46
DCN Big Promises from Small Successes 9:39
Dead Weight Pressure Measurement 2:120
Defining the Scope of Power Plant Computer Systems 12:77
designer doesn't pay for more capacity than he needs, the 11:16
Determining the Size of Flaws in Materials 10:98
Digital Control of Pumping Stations 8:102
Digital Controller Concepts 8:85
Digital-to-Analog Converter Survey 11:89
Dual-Frequency Laser Ranging 4:117
Eddy Current Tube Testing 6:117
Effluence of Affluence, The 3:16
Electrolytic Cells for Remote Timing Applications 8:95
elements of over-sophistication just seems to fall of their own weight 6:7
everybody wants to go to heaven 10:15
Extending Recorder Frequency Range 7:100
Fire Protection for Computer Installations: A Cost Effectiveness Study 6:129
Fluidic Ammeter 8:112
Fluidic Programmers and Sequencers 8:80
Flow Charts as Communications Channels 6:14
Forecasting the Demand for Instruments 7:41
Foreign Trade 12:18
future growth of the computer industry is tied to special-purpose digital devices 9:13
Game Plan, The 10:27
Generalized Three Mode Control: An Intuitive Analysis 11:95
Gestation of a Digital Control System 6:69
Getting NC and Making It Pay 11:27
Halogen-Quenched Geiger-Mueller Tubes 10:47
Handling and Storing Magnetic Tape 7:85
Handling and Testing Beam Lead Semiconductors 10:48
Holographic Data Processing 3:124
Hybrid Control 3:18
ISA 1972: A More Rational Approach 12:31
Improving the Search 8:4
Industrial Laser Interferometers 6:28
Industrial Noise Pollution 4:30
Industrial Outlook for 1971, The 7:33
Industrial Timing Methods 9:35
Inherent Cost of a Measurement, The 8:4
Interactive Man-Machine Communication 1:92
Intrinsic Safety: An Ounce of Prevention 8:31
Intrinsic Safety Primer, An 9:99
Introduction to Digital Control Part I Characteristics 3:97
Introduction to Digital Control Part II Functional Considerations 4:138
Instrumentation—Key to Future of NC Growth 7:29
knowledge often leads to simplification 11:13
LSI Primer, An 9:83
Language Barrier Blocks NC Advance 5:39
language that will always work, a 10:16
Laser Machining: Specialized but Versatile 10:43
Local Establishment of Pollution Standards 7:27
Logic to Power Interfacing 6:21
Loss in Beards and Sandals, The 4:28
Low Resolution Analyzers for Cable Spectrum Equalization 5:110
Low-Speed Data Acquisition System 9:105
Made in Japan: Quantity and Quality 8:25
Made in Japan: Will the Price Advantage Last 9:33
making the damn things useful 12:13
Mass Memory Technologies: Part I. An Overview 10:107
Mass Memory Technologies: Part II. Magnetic Systems 11:82
Mass Memory Technologies: Part III. Electronic and Beam Deflection Systems 12:80
Mathematical Machine, The 1:4
Measurement of Errors in a Current Transformer 4:129
Measurement Science in the United Kingdom 8:29
Measuring Small Currents with Operational Amplifiers 4:15
Measuring Surface Temperatures with Thermocouples 11:41
Medium-Speed Hard Copy Printers 7:46
Metering Pump Survey 4:103
Metrication 9:21
Millivolt Recorder Calibration 3:11
Mini-computer Applications 2:20
Molecular Weight Sensor 1:81
Motor Speed Drive Survey 12:69
Nomograph Construction Methods 7:91
New Alchemy, The 10:4
New Electromechanical Analogy, A 7:105
Nisi per Medium 12:4
Noise Measurement at NBS 11:25
Numerical Displays 8:14
Occupational Health and Safety 6:19
Optimized Thermocouple Calibration 8:81
Optimizing Process Plant Design 7:43
Outlook for Electronics in Control, The 7:24
Ozymandias 11:4
Parallel Incidence for Diffraction Grating Strain Gages 12:84

(Continued on page 102)

ACCURACIES TO 0.05%



All Solid State

As low as $595.00

DIGITAL TEMPERATURE INDICATORS °C or °F

Thermocouple, RTD, or Thermistor Sensors

- Full range of models for digital indication of temperature from −180°C to +1750°C and comparable "F" ranges.
- Resolutions as great as 0.01°—accuracy from 0.05%.
- Thermistor, RTD or Thermocouple probes to suit application and range—up to 10 switch selected probes. Complete systems available with Scanner, Sequencer and Printer.
- 3 or 4 decade, non-blinking ⅝" Nixie Tube readouts.
- Direct reading with automatic polarity sign and overrange.
- Full selection of options.

INSTRULAB, INC.

1205 Lamar Street Dayton, Ohio 45404

Phone: 513 223-2241

▲ Circle 92 on Reader Service Card ▲

New precision control for 1/8 HP motors



The Heller S18T... only $214.50

Accuracy of motor speed control within 0.5% over an infinitely variable speed range of 120/1 is provided by the new Heller S18T solid state controller and powerful Heller 10T ⅛ HP d-c motor with internal tachogenerator. Pre-set speed is maintained in spite of load changes from 0 to more than 100%, fluctuations in 50-60 Hz a-c power source between 105 and 135 volts, and ambient temperature changes between 60° and 120°F. 6½" x 9" x 6½" sloping front cabinet with magnetic circuit breaker, forward-stop-reverse switch, 10-turn speed control potentiometer, speedmeter. Motors include Heller 10T non-geared at $78.00, 10T worm gear in ratios from 10 to 36/1 at $102.00, and 10T in-line geared from 57 to 524/1 at $106.00.

G. K. HELLER CORP.

P.O. Box 14746, Las Vegas, Nev. 89114

7 Mayflower Place, Floral Park, L.I., N.Y. 11001

▲ Circle 93 on Reader Service Card ▲

ANNUAL INDEX (Con't.)

Pass-Through Current Detector 4:16
people are looking for a new black box to take them out of trouble 4:7
Polaradometer Pyrometer, The 2:115
Pollution 5:23
practical advances made possible by applying electronic techniques 9:15
Precision Temperature Controller 2:107
Pressure Calibrator Survey 8:73
Pressure Regulator Fundamentals 11:109
Process Computer System Specification Part I: CPU Hardware and Software 4:133
Process Computer System Specification Part II: Peripherals and Acceptance 5:75
Product Liability Legislation 7:27
Product Liability: Some Recent Decisions 11:37
Product Liability: Who is Responsible 8:17
Product Safety 9:21
Programmable Control is "In" at GM Hydra-Matic 9:23
Programmable Desk Calculator Survey 5:89
Proving the Value of DNC in Dollars 10:29

R & D in Soviet Aviation 10:37
RMS Voltage Detection 5:100
Random Vibration Equalization 8:87
Reciprocity Theorem in Two-Part Equalizers 2:104
Reducing Pollution from Fossil Fuel Combustion 7:95
Remanence and Demagnetization in Recording Heads 12:84
Response of Fluidic lines at High Frequency 9:94
Response of Components to AC Line Changes 4:120
Rubber: Some New Twists 9:48

Sampled Data Control Systems: How to See without Z 11:75
Security Considerations in Process Computer Interface Design 6:125
Selecting Low-Power Servo Motors 9:95
Sequencing Valves to Increase Range 11:9
Series to Begin 7:16
Signal Processing Pulse Width Discriminator, A 5:41
Signal Synthesizer Survey 2:93
Silicon Strain Gages for Transducer Applications 5:103
Sizing Computers for Digital Control 6:133
Sizing Valves for Compressible Flow 1:71
Software Path to Happiness, The 5:16
Solid-State Null Detector 8:25
Solid-State Valve Positioner Control 2:11
Solid-State Voltage References 3:133
Some Problems of the Environment 11:21
Standard And Reference Cells 10:77
Stepping Motor Survey 9:87
Strip Chart Recorder Survey 7:69
Structuring the Data 9:4
Sulfur Problem, The 12:19
Survey of Small Computers 3:101

Tape Codes and Formats for Digital Control 3:115
Temperature Baths for Electrical Standards 10:81
Temperature Control with Thermal Conductances 8:97
Temperature Measurement with Thermocouples 8:87
Test Cell for Dielectric Constants, A 9:40
Thin-Wall Diaphragms 2:12
Thing Made, The 3:4
Three Level Executive Architecture 5:93
Torsion Testing Using A Digital Computer 5:97
Transducers for Biomedical Applications 5:25
Trends in Digital Control 1:96
Trouble with Miracles, The 10:25
Trustbusting and the Patent System 12:16
Two Active Low-Pass Instrumentation Filters 8:45

Ultraviolet Oxygen Sensors 2:113
Understanding Surface Microacoustics 11:103
Urban Transit 11:25
Urban Transport: An Opportunity for Control 12:21
Using A Synchro for Attitude Sensing 12:40
Using Alternating Displays to Improve Operator Performance 9:113
Using Silicon Rubber to Mount Strain Gages 12:38

Vapor Recovery for Bulk Hydrocarbon Transfer System 10:52
Variable Sweep-Rate Frequency Response and Vibration Testing 9:109
Velocity and Acceleration Transducers 4:115
Velocity Calculation Errors from Displacement Transducers 5:113
Viscometer Survey 1:66
Voltage Standards Survey 10:85

we do everything with mirrors 8:13
well-designed information system can be an excellent dollar investment, a 11:15
When to Use Valve Positioners 9:11
When You Have the Wrong Valve Characteristic 10:11

you can't get to the moon with a PID controller 4:7
you must have a physical object to sell 7:11

AUTHOR

Abrams, C. 9:113
Adler, L. 10:98
Alexander, A. J. 10:37
Allen, E. F. 9:46
Anastasia, R. L. 7:95
Anderson, G. A. 8:95
Anderson, M. 11:13
Augl, J. M. 9:40

Baker, C. H. 9:113
Bard, G. 5:7
Baumann, H. D. 4:93
Berkovitch, I. 7:41, 8:29
Bittker, D. A. 10:103
Bloom, G. F., Jr. 8:102
Bond, R. 12:13
Bosso, F. 11:75
Brady, J. 12:15
Brokaw, R. S. 10:103
Brown, G. D. 4:28
Buckner, D. 9:113
Budenberg, G. F. 2:120
Buzbee, B. L. 9:120

Carls, E. L. 7:95
Chapman, K. L. 5:110
Cook, P. P. 4:101
Corripio, A. B. 1:87
Curran, T. P. 3:111
Curtis, D. A. 10:107, 11:82, 12:80

Davis, E. R. 10:52
DeMello, J. G. 2:12
Dillon, J. A. 3:16, 4:30, 5:14, 12:31
Dinman, S. B. 2:20
Dorr, F. W. 9:120

Ekas, G. E. 5:16
Ellis, T. O. 1:92
Engstrom, G. 7:24
Engstrom, P. M. 8:80
Epstein, M. 11:103
Erickson, M. D. 4:133, 5:75

Fine, J. 6:112
Forman, E. R. 7:43
Fraade, D. J. 5:69
Frisauf, W. S. 7:105
Frowiss, A. 12:37

Garret, J. W. 6:125
Gasbarro, H. F. 8:46
Gill, W. C. 11:42
Gitlin, R. 4:16
Goldberg, H. 7:13
Gordon, B. 7:13
Gordon, P. 9:15
Gorland, S. 1:81
Grady, R. A. 4:101

Haas, H. 4:7
Haas, M. 7:95
Hall, C. 5:100
Hall, D. 9:46
Heafner, J. F. 1:92
Hibbard, R. R. 11:29
Hineman, E. 3:133
Holm, W. 10:15, 11:15
Howard, J. H. G. 9:105

I&CS Staff 1:66, 2:93, 3:101, 4:41, 4:103, 5:89, 6:97, 7:69, 8:25, 73, 9:33, 87, 10:50, 85, 11:89, 12:19, 12:69

Jarry, R. L. 7:95
Jenkins, R. W. 3:124
Jonke, A. A. 7:95
Jurgens, C. 2:113

Kana, D. D. 8:87
Kaplan, A. 2:113
Kariyaratharajah, P. 7:100
Kaufman, A. A. 4:115
Keyser, D. R. 6:81
Klein, C. F. 3:12
Krause, A. A. 1:71
Krawiec, J. P. 3:111
Krevitt, R. 12:38
Krigman, A. 1:4, 2:4, 3:4, 4:4, 5:4, 25, 6:4, 17, 7:4, 33, 8:4, 31, 9:4, 27, 35, 10:4, 31, 43, 11:4, 12:4, 19, 21
Krishnaiyer, R. 8:84
Kruzan, H. F. 11:109
Kushnerick, J. 5:39, 6:21, 7:29, 8:39, 9:23, 10:29, 11:27, 12:34

Langenthal, I. M. 1:84
Lee, R. 7:46
Lenneman, E. 9:105
Leroy, M. J. 1:81
Levy, A. 12:84
Lewis, R. B. 2:11
Ley, B. J. 2:104
Liang, L. 1:96
Libby, L. M. 11:21
Lingel, F. J. 12:40
Locke, R. 11:13
Lommatsch, E. A. 5:103
London, F. 8:13
Lorenzo, C. F. 9:109
Louis, J. R. 1:77
Lyons, J. W. 3:111

Mahan, R. E. 4:133, 5:75
Manners, D. E. 5:21
Martin, R. G. 6:14
Maser, B. 5:7
McAfee, D. 3:119
McCarthy, H. T. 6:26
McCurdy, P. 2:17
McDougall, R. S. 4:15
Mehta, H. 12:77
Miles, F. A. 10:77
Miller, J. G. 3:97, 4:138
Miskell, R. V. 3:115
Moody, A. C. Jr. 8:35
Moore, C. F. 1:8
Murti, V. G. K. 4:129, 7:100
Murray, T. P. 2:115
Myers, J. E. 6:7

Nisenfeld, A. E. 8:91, 10:95
November, M. 9:15

Pambookian, H. C. 3:111
Pastoriza, J. 2:124
Paynter, H. M. 7:11, 8:16
Pesaen, D. 1:13
Peters, G. A. 11:37
Philips, G. 11:41
Poore, M. W. 5:97
Power, W. A. 9:99
Prill, W. K. 9:95

Randall, D. F. 11:16
Ratz, A. G. 5:81
Readal, G. J. 2:115
Regembal, N. 5:23, 6:19, 7:27, 8:43, 9:21, 10:27, 11:25, 12:16
Rehfeld, M. 6:28
Roberson, J. 3:133
Rogers, J. A. 8:97
Rogozinski, J. 1:13
Ryden, J. Jr. 6:117

Sankaran, P. 4:129
Schagrin, E. F. 4:32
Schendt, D. C. 8:87
Schmoll, R. H. 8:87
Schneider, A. 5:100
Shabet, E. 5:25
Shah, M. A. 3:97
Shinskey, G. 7:16, 8:9, 9:11, 10:11, 11:9, 12:9
Shugars, H. 9:44
Sibley, W. L. 1:92
Simpson, R. J. 4:120, 8:45
Slawson, R. S. 11:95
Smith, C. L. 1:87, 3:18
Smith, J. H. 5:91
Smith, L. W. 10:48
Smith, R. C. 7:85
Smith, R. C. 5:69
Sokol, G. D. 5:113
Spalla, L. J. 5:106
Springer, J. R. 2:99
Stansbury, M. G. 5:41
Steele, D. W. 6:26
Steele, R. S. 12:64
Steeleman, D. M. 11:44
Stiefel, R. 9:13
Suh, S. 4:7
Sununu, J. H. 6:97
Sutcliffe, J. 10:81

Thompson, S. A. 10:25
Tien, P. S. 5:85, 9:83
Trammel, S. 11:16

Vennard, J. 4:124
Vigneri, R. J. 4:117
Vogel, G. J. 7:95
Wrancik, J. 3:129

Ware, W. E. 6:133
Waranski, R. G. 3:11
Watson, G. 10:16
Whaley, H. L. 10:98
Whittaker, G. A. 5:93
Wilkinson, R. H. 2:107
Wilson, C. L. 5:41
Worster, L. D. 10:47
Wood, J. A. 8:129
Yeager, R. A. 7:91
Yu, K. 2:113

☐ FLOAT OR DISPLACER TYPES ☐ ELECTRIC OR PNEUMATIC

LEVELAC®
for dependable liquid level control

☐ FLOAT OR DISPLACER TYPES ☐ ELECTRIC OR PNEUMATIC SWITCHES

Field adjustable.
Simple design.
Wide selection
of housings,
switches and mountings
for every application.
Standards in stock.
Fast delivery on specials.
Write for catalog 26Y787

FULTON
SYLPHON
DIVISION
Robertshaw

Robertshaw Controls Company
Knoxville, Tennessee 37901
Telephone 615/546-0550

Exports: International Marketing Division, Richmond, Virginia
Europe: Robertshaw Europa N.V., Amsterdam

▲ Circle 94 on Reader Service Card ▲

meet the gauges that beat the killers...
PULSATION, VIBRATION AND CORROSION



GLYCERIN FILLED PRESSURE GAUGES

- All moving parts of WIKA gauges, including the sensitive Bourdon tube are immersed in pure glycerin
- Squelches strong pulsations and withstands severe vibrations
- Non-petroleum base, glycerin eliminates possibility of sludge
- O-Ring sealing and glycerin prevent condensation in any atmosphere
- Glycerin gauges have out-performed all other types in giving longer life and accurate readings
- Sizes from 2½" to 6", with connection and Bourdon tube in brass, steel or S.S.

SEND FOR FREE BROCHURES
Distributors in principal cities
INTERNATIONAL PRESSURE GAUGES, INC.
230 Newtown Road, Plainview, N.Y. 11803 • (516) 694-2072

▲ Circle 98 on Reader Service Card ▲